

# PDA Training Course Extractables & Leachables

25-26 April 2024

## POLYMERS 101

Dr. Piet Christiaens



# OVERVIEW

1. Definition and classification
2. Types of polymers
3. Properties of polymers
4. On the origin of extractables species

# OVERVIEW

- 1. Definition and classification**
2. Types of polymers
3. Properties of polymers
4. On the origin of extractables species

# 1. DEFINITION AND CLASSIFICATION

A **POLYMER** is a chemical compound or mixture of compounds consisting of **repeating structural units** created through a process of polymerization

Greek words:

πολύς (polus, meaning "many, much")

μέρος (meros, meaning "parts")


Refers to a molecule whose structure is composed of **multiple repeating units**

→ **High relative molecular mass** and associated properties


# 1. DEFINITION AND CLASSIFICATION

## Origin of polymers


- **NATURAL POLYMERS** also exist in nature
  - *Latex / natural rubber*
  - *Starch*
  - *Cellulose*
  - *Pectine*
  - *Silk / Wool*
  - *DNA,...*




Repeating Isoprene units




Repeating D-Glucose units



Repeating Galacturonic acid units



Repeating units of amino acids



DNA


Most pharmaceutical applications are with **SYNTHETIC POLYMERS**

# 1. DEFINITION AND CLASSIFICATION

## Examples of synthetic polymers




A small fraction are **INORGANIC POLYMERS**

Example: Siloxanes (PolyDiMethylSiloxanes; PDMS) (SILICONE)



However, most of the polymers are **ORGANIC POLYMERS**

Examples: polyethylene (PE), polypropylene (PP), ethylene vinyl acetate (EVA), polystyrene (PS), Isobutylene Isoprene Rubber (IIR rubber), nylon 6, nylon 6,6,...



# 1. DEFINITION AND CLASSIFICATION

## THERMOPLASTIC

Polymers that soften when heated and become firm again when cooled

Examples: PS, LDPE, HDPE, PP, EVA, PTFE, PC,...




THERMOPLASTIC


“Entangled” polymer chains



Giving the **final form to a container/component** is based on these principles:



Extrusion



Injection Molding





# 1. DEFINITION AND CLASSIFICATION

## THERMOSET

Polymers that soften when heated and molded subsequently BUT **decompose when reheated** (i.e. cannot be reformed after cooling)

*Examples: Phenol formaldehyde resins, epoxy resins*



Crosslinked polymer chains

Thermoset polymers are **typically “cross linked”** (irreversible chemical bonds formed during **curing** process)

Bakelite






# 1. DEFINITION AND CLASSIFICATION

## ELASTOMER

Material with low degree of irreversible chemical cross-linking

*Examples: rubbers and silicones*



## THERMOPLASTIC ELASTOMER (TPE)

Thermoplastic materials with elastomeric, rubbery-elastic properties generated by physical cross-linking points

TPE materials can be melted down again and thermoplastic processing is possible

*Examples: styrene block copolymers (TPE-S: SBS, SEBS), polyolefin mixtures (TPE-O), thermoplastic polyurethanes (TPE-U), thermoplastic co-polyesters (TPE-E or TPC) and thermoplastic polyamides (TPE-A)*

# OVERVIEW

1. Definition and classification
- 2. Types of polymers**
3. Properties of polymers
4. On the origin of extractables species


## 2. TYPES OF POLYMERS

### Organization of subunits

**HOMOPOLYMER** built from a sequence of identical monomers

Examples: PE, PP, PVC

A-A-A-A-A-A-A-A-A-A-A-A-A-A




**COPOLYMER** built from a sequence of two or more different monomers

**Random** copolymer

A-B-A-A-B-B-B-A-B-A-A-A-B


Example: Poly EVA



**Regular** copolymer

A-B-A-B-A-B-A-B-A-B-A-B-A


Example: PET



**Block** copolymer

A-A-A-B-B-B-B-B-B-B-B-A-A

Example: SIS elastomer





## 2. TYPES OF POLYMERS


### Examples of copolymers

#### CROSSLINKED POLYMERS


*Isobutylene isoprene rubbers*



*Silicone rubbers (Pt-cured)*



#### GRAFT COPOLYMERS




## 2. TYPES OF POLYMERS

### Polymerisation mechanism


#### CHAIN GROWTH

*Example 1: Cationic polymerisation of "butyl elastomer"*



Understanding polymerization of butyl elastomer helps to understand the formation and presence of rubber oligomers


*Example 2: Radical polymerisation of polystyrene*







## 2. TYPES OF POLYMERS

### Polymerisation mechanism

#### STEP GROWTH



Example: Polyaddition, polycondensation of Nylon 6,6



**Nylon 66**  
(a polyamide)

**SEEN AS  
EXTRACTABLE/LEACHABLE**

# OVERVIEW

1. Definition and classification
2. Types of polymers
- 3. Properties of polymers**
4. On the origin of extractables species


## 3. PROPERTIES OF POLYMERS

### MORPHOLOGY

#### AMORPHOUS POLYMERS

Because of

- Irregularities in polymer structure
- Nature of the polymer
- Cross-linking (for certain polymers)



*No intermolecular bonds (e.g. Hydrogen bonds, Van der Waals forces) will lead to an alignment of the polymer chains*


*Examples: PS, PVC, SAN, ABS, PMMA, PC, PES*



# 3. PROPERTIES OF POLYMERS

## MORPHOLOGY


### (SEMI-) CRYSTALLINE POLYMERS




**Van der Waals forces** (e.g. polyolefins)  
**Hydrogen bonds** (e.g. polyamide)

Bring "alignment" in chains


Impact of stereochemistry of a polymer on physical properties



PE



Kevlar (polyamide)




Nylon 6,6 (polyamide)

# 3. PROPERTIES OF POLYMERS

## MORPHOLOGY

### AMORPHOUS VS. CRYSTALLINE




## 3. PROPERTIES OF POLYMERS

### MORPHOLOGY


#### AMORPHOUS POLYMERS

Impact of **stereochemistry** of a polymer on physical properties




#### Isotactic

Typically semi-crystalline  
(e.g. PP via Ziegler-Natta polymerisation)



#### Syndiotactic

(e.g. syndiotactic PS is semi-crystalline)



#### Atactic


Typically amorphous polymers  
(e.g. atactic PS is amorphous)

### 3. PROPERTIES OF POLYMERS

#### GLASS TRANSITION TEMPERATURE (T<sub>g</sub>)

When a polymer goes from a “glassy” state (< T<sub>g</sub>) to a “rubber” state (> T<sub>g</sub>)

#### WHAT IS RIGID PACKAGING?




### 3. PROPERTIES OF POLYMERS

#### GLASS TRANSITION TEMPERATURE ( $T_g$ )

When a polymer goes from a “glassy” state ( $< T_g$ ) to a “rubber” state ( $> T_g$ )


#### WHAT IS FLEXIBLE PACKAGING?



# 3. PROPERTIES OF POLYMERS

## GLASS TRANSITION TEMPERATURE (T<sub>g</sub>)

### WHICH PACKAGING?



Dr. H. Rengel, ECA Course 2006

## 3. PROPERTIES OF POLYMERS

### GLASS TRANSITION TEMPERATURE ( $T_g$ )

Examples of  $T_g$  for different materials:

LDPE  $T_g = -125^\circ\text{C}$

POM  $T_g = -50^\circ\text{C}$

PP  $T_g = -25^\circ\text{C}$

---

PBT  $T_g = +70^\circ\text{C}$

PVC  $T_g = +81^\circ\text{C}$  (non plasticized)

ABS  $T_g = +110^\circ\text{C}$

PC  $T_g = +150^\circ\text{C}$

*The  $T_g$  of a material will also have an impact on the migration behavior of a material!*

# OVERVIEW

1. Definition and classification
2. Types of polymers
3. Properties of polymers
- 4. On the origin of extractables species**



# WHAT IS IN A POLYMER?

## Most Common Sources of Extractables in Polymeric Materials

### *Intentionally Added*

- Pigments / colorants
- Clarifying agents
- Catalysts and Curing Agents
- Fillers
- Anti-oxidants
- Plasticizers
- Photostabilizers
- Slip agents
- Acid scavengers
- ...

### *NOT Intentionally Added*

- Related to the Polymer
  - Polymer Degradation Compounds
- Related to the Polymerization Process
  - Solvent residues
  - Monomers
  - Catalysts
  - Oligomers
- Related to the additives
  - Additive degradation compounds
- Related to secondary packaging
  - Glue, Labels, Carton/Paper
- Processing Impurities
  - Lubricants, surfactants, solvents
- ...

# 1. INTENTIONALLY ADDED SUBSTANCES

*Functionality, performance, protection, processability, cosmetic...*

Blowing agents

**Pigments / colorants**

Antistatic agents

Metal chelators

Adhesives

**Clarifying agents**

**Catalysts and Curing Agents**

Antifogging agents

**Fillers**

**Anti-oxidants**

**Plasticizers**

**Photostabilizers**

**Slip agents**

Antiozonants

Coupling agents

Lubricants

**Acid scavengers**

Peroxides / crosslinkers

*(**blue**: coming with some examples)*


# 1. INTENTIONALLY ADDED SUBSTANCES

## Anti-Oxidants


Function: assuring protection against thermal and oxidative degradation during processing and during shelf life of polymer

(Sterically Hindered Phenols (Primary AO) & Organic Phosphites/Phosponates (Secondary AO) are most used)


European Pharmacopoeia lists a.o. the following anti-oxidants:




BHT




Irganox 1076




Hostanox 03




Irganox 3114



Irgafos 168



Irganox 1010



Irganox 1330

# 1. INTENTIONALLY ADDED SUBSTANCES

## Plasticizers


Function: gives the plastic flexibility and durability

Plasticizer requirements:


- *Low water solubility (low extractibility)*
- *Stability to heat and light*
- *Low odor, taste and toxicity*




40% DEHP




Diethylhexylphthalate (DEHP)




Diethylhexylsebacate



TOTM



Diethylhexyladipate




ESBO


# 1. INTENTIONALLY ADDED SUBSTANCES

## Photo Stabilizers


Function: protects the polymer from UV-Degradation (exposure to sunlight)



Tinuvin 328



Tinuvin 770




Tinuvin 622

# 1. INTENTIONALLY ADDED SUBSTANCES


## Slip Agents

Function: reduce the “friction” or “film adherence”, important when producing bags from films

*Low solubility in e.g. polyolefins will push slip agents to the polymer surface*



Erucamide (C22)



Oleamide (C18)


Remark:

*because of their specific properties, slip agents will be widely detected as Leachables!*


# 1. INTENTIONALLY ADDED SUBSTANCES

## Acid Scavengers

Function: Protects the polymer from “acid attacks” through conversion of strong acids (high degradation impact) to weak acids (low degradation impact)



*E.g. in a Chlorobutyl rubber after curing*




# 1. INTENTIONALLY ADDED SUBSTANCES


## Pigments and Colorants

Function: Gives the polymer / rubber the desired color (cosmetic)


Examples: Carbon Black (PNA's!),  $TiO_2$  (white),  $Fe_2O_3$  (red), Pigment Green 07



Solvent Red



Solvent yellow 114



Solvent Green 03



**Remark: beware of the composition of the masterbatch!**



# 1. INTENTIONALLY ADDED SUBSTANCES

## Clarifying / Nucleating Agents

Function: by controlling the crystallisation (nucleation) when cooling off polypropylene, PP becomes transparent instead of opaque



# 1. INTENTIONALLY ADDED SUBSTANCES

## Fillers

- Function (e.g. Rubbers):

Fillers give **mechanical strength (stiffness)** to a rubber

More filler is an advantage for the gliding force for plungers, but makes stopper piercing (coring!) worse

- Aluminum silicate (clay)
- Magnesium silicate (talc)
- Silicates
- Calcium carbonate
- Carbon Black (rubbers)
- ...



# 1. INTENTIONALLY ADDED SUBSTANCES

## Catalysts and Curing Agents

**Catalyst Function:** Creates the “onset” of the polymerization reaction (i.e. for addition (*cationic, anionic, radical*) polymerization)

**Curing Agent Function:** chemical employed in [polymer chemistry](#) that produces the toughening or hardening of [polymer](#) material by [cross-linking](#) of polymer chains via covalent bonds (thermo-setting)


### Inorganic Catalysts

(Salts, oxides, complexes...)

- Titanium
- Zirkonium
- Cobalt
- Aluminum
- Iron
- Hafnium
- Platinum
- ...


### Tacticity modulator

Dicyclopentylsilanediol




### Example for Peroxide Curing Silicone

2,4-Dichlorobenzoyl peroxide



Dicumyl peroxide







# 1. INTENTIONALLY ADDED SUBSTANCES

## Catalysts and Curing Agents


**Catalyst Function:** Creates the “onset” of the polymerization reaction (i.e. for addition (*cationic, anionic, radical*) polymerization)

**Curing Agent Function:** chemical employed in [polymer chemistry](#) that produces the toughening or hardening of [polymer](#) material by [cross-linking](#) of polymer chains via covalent bonds (thermo-setting)

### Rubber Curing Agents



### Curing Degradation & Reaction Products



## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)



### Polymer Degradation Compounds

Origin: Oxidative degradation of the polymers



(e.g. when the polymer is not properly stabilized via anti-oxidants;  
e.g. "virgin" grades)

Example of polymer degradation compounds from polypropylene:




#### Acids






#### Aldehydes






#### Alcohols



#### Ketones



#### Polymer fragments




## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Solvents and monomers


#### Examples of Solvents




*Cyclohexane*




*Hexane*




*DHN*



*MIBK*




*IPA*




*Toluene*


#### Examples of Monomers




*Styrene*




*Caprolactam*



*Bisphenol A*




*Methyl methacrylate*




*Isoprene*



*PFOA*




*Vinyl Acetate*



*Vinyl Chloride*

## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)


### Oligomers




# 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

## Oligomers


Polyurethane




PET




PBT




Nylon 6




Nylon 6,6



Butyl Rubber



Polyester adhesive



+ oxidation, hydrolysis and degradation compounds of oligomers

Other typical oligomers from Silicone, PP, PE, adhesives,...






## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)


### Polymer additive degradation compounds

Example of polymer additive degradation compounds from **Irganox 1010**:

SMALL degradation compounds




LARGE degradation compounds



## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Polymer additive degradation compounds

Example of polymer additive degradation compounds from **Irgafos 168**:



Remark: also, many other degradation compounds for Irgafos 168 are known

## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Secondary packaging for semi-permeable primary packaging


#### Label

- Adhesive
- Paper
- Ink
- Varnish




#### Typical extractable compounds:

Curing agents (e.g. Benzophenone, Irgacure 184,...)



Irgacure 184




Benzaldehyde




Cyclohexanone


Solvent residues (e.g. Toluene, acetone)




Acrylate




Methacrylate



Isobornyl acrylate



Isoborneol



Camphene


Adhesive residues (e.g. Acrylates)

Paper residues (e.g. (dehydro)abietic acids, abietates, see later)

## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Secondary packaging for semi-permeable primary packaging

Example GC/MS Chromatogram of a Label Extract (IPA)




## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Secondary packaging for semi-permeable primary packaging

#### Overwrap/Overpouch/Blister

(to compensate for potential lower barrier properties of the polymer)

- Multilayer system
- Aluminum as barrier layer
- Tie-layers to keep the different layers together





#### Typical extractable compounds:

Bislactone Compounds from Tie-layer

Residues from other layers

(depends largely on selected materials of the multilayer!!)

Bislactones:




## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Secondary packaging for semi-permeable primary packaging

#### Carton / paper

(may also come from label)



#### Example structures of abietic acids / abietates (& vanillin)







## 2. NOT INTENTIONALLY ADDED SUBSTANCES (NIAS)

### Processing impurities




#### lubricants



#### detergents



#### solvent residues



## CONCLUSION

- Know Your materials, it's composition and chemistry
- What you put in is not what will come out
- “*A polyethylene is a polyethylene*”? **NO!**
- Some of the compounds are reactive and toxic
- The complex diversity of the universe of extractables requires a broad chemical screening with a combination of techniques
- Knowledge of materials allow the broaden the analytical scope of an E/L study
- Often degradation compounds are difficult to identify
- Database assisted identification is almost a requisite for a successful screening



