SARIORIUS

A Comparative Study of Polysorbate 80 Adsorption to Membrane Filters for Fill & Finish Applications, Considering a Potentially Upcoming Restriction of PFAS Based Membranes

Holger Bromm*, Simon Marschall, Yvonne Gross

Sartorius Stedim Biotech GmbH, Göttingen, Germany *Corresponding author: holger.bromm@sartorius.com

Introduction

The final step in biopharmaceutical production, formulation and filling (F&F), requires sterile filtration of the Active Pharmaceutical Ingredient (API) and preservation of its formulation. Traditionally, membrane polymers made of Per- and Polyfluoroalkyl Substances (PFAS), such as Polyvinylidene Fluoride (PVDF) have been preferred in this application due to their favorable adsorption properties for certain excipients such as Polysorbate. However, concerns about the potential impact of PFAS chemicals and polymers on the environment and human health have resulted in proposals to restrict the use of these polymers, highlighting the need for alternative solutions.

1. Experimental Approach

This study describes a comparison of PES- and PVDF-membrane filters, including the newly developed Sartopore Evo® filter for their adsorption properties of Polysorbate 80 (PS80). For a comprehensive evaluation, PES- and PVDF-membrane filters from various manufacturers, in different sizes and formats (flat filter- and pleated devices), were included in the study.

The filters analyzed for their Polysorbate 80 adsorption properties are listed in Table 1. Each filter type was tested in two formats: in a scale-up size with a flat filter format and an effective filtration area (EFA) of 17 to 20 cm² typically used for filter screening trials, and in pilot scale size in a pleated format and an EFA ranging from 200 to 900 cm².

Producer	Filter Typ	Membrane Material	
Sartorius	Sartopore® 2 0.45 0.2 μm	PES	
Sartorius	Sartopore Evo® 0.8 0.2 μm	PES	
Sartorius	Sartopore Evo® 0.2 μm	PES	
Merck Millipore	Durapore 0.22 μm	PVDF	
Merck Millipore	Express SHC 0.5 0.2 μm	PES	
Cytiva	Supor EKV 0.5 0.2 μm	PES	
Cytiva	Fluorodyne II 0.2 0.2 μm	PVDF	

Table 1: Filter Types and Membrane Materials Analyzed for Their Polysorbate 80 Adsorption Properties

All tests were conducted using a placebo solution that mimicked a common drug protein formulation but contained no API (Table 2). The concentration of Polysorbate 80 at 0.1 mg/mL reflects common protein formulation conditions. Furthermore, this low concentration supports the detection of small changes in its concentration in the analyzed filtrate samples.

Formulation Components	Concentration [mg/mL]	
Sucrose	80	
Polysorbate 80	0.1	
L-Histidine Hydrochloride Monohydrate	1.096	
L-Histidine	0.741	
Water for Injection (WFI)	Ad 1 mL	

Table 2: Composition of the Test Formulation (pH 6.0, Density 1.03 g/mL)

Throughout the entire filtration process, 25 samples (fractionated sampling) of the filtrate were taken for each filter. The Polysorbate 80 concentration of the samples was determined by HPLC analysis providing a comprehensive adsorption profile for each filter tested.

2. Calculation of Polysorbate 80 Adsorption

The total adsorption of each membrane material throughout the entire filtration process was calculated using the following formula:




Figure 1: Formula to Calculate Polysorbate 80 Adsorption

In addition, the filtrate volumes to recover 90, 95 and 98% of the initial Polysorbate 80 concentration of the formulation were derived from the analytical data, to determine potentially required flush volumes for each filter.

3. Results

Examples of Polysorbate 80 Binding Curves




Figure 2: (A-G) Specific Adsorption Profiles of the Tested Filters Depicting the Relationship Between the Relative Concentration of Polysorbate 80 in the Filtrate (Compared to 0.1 mg/mL in the Starting Solution) and the Volume Filtered per Filter Area (L/m²) for the Pilot-Scale Filters

Polysorbate 80 Binding

Filter Typ	Membrane Material	Scale-Up Filter [mg/m²]	Pilot Scale Filter [mg/m²]
Sartopore® 2 0.45 0.2 μm	PES	291	146
Sartopore Evo® 0.8 0.2 μm	PES	63	66
Sartopore Evo® 0.2 μm	PES	37	36
Durapore 0.22 μm	PVDF	64	35
Express SHC 0.5 0.2 μm	PES	363	453
Supor EKV 0.5 0.2 μm	PVDF	383	234
Fluorodyne II 0.2 0.2 μm	PES	147	191
	Sartopore® 2 0.45 0.2 μm Sartopore Evo® 0.8 0.2 μm Sartopore Evo® 0.2 μm Durapore 0.22 μm Express SHC 0.5 0.2 μm Supor EKV 0.5 0.2 μm	Sartopore® 2 0.45 0.2 μm PES Sartopore Evo® 0.8 0.2 μm PES Sartopore Evo® 0.2 μm PES Durapore 0.22 μm PVDF Express SHC 0.5 0.2 μm PES Supor EKV 0.5 0.2 μm PVDF	Sartopore® 2 0.45 0.2 μm PES 291 Sartopore Evo® 0.8 0.2 μm PES 63 Sartopore Evo® 0.2 μm PES 37 Durapore 0.22 μm PVDF 64 Express SHC 0.5 0.2 μm PES 363 Supor EKV 0.5 0.2 μm PVDF 383

 Table 3: Summary of Polysorbate 80 Adsorption Results Across Various Filter Types and Formats

Polysorbate 80 Recovery

Depending on the specific adsorption properties of each filter, a certain product volume is required to recover the initial concentration of Polysorbate 80 in the formulation. Figure 3 summarizes the filtrate volumes required to recover 90, 95 & 98% of the initial Polysorbate 80 concentration for the pilot scale (pleated devices) filters.




Figure 3: Summary of the Product Volumes Required to Recover 90, 95 & 98% of the Initial Polysorbate 80 Concentration in the Formulation (Pilot Scale Filters)

4. Summary and Conclusion

- The potential ban of PFAS polymer-based membrane filters necessitates identifying alternative filter materials with minimal adsorptive properties for biopharmaceutical form and fill processes.
- This comprehensive comparison of PES and PVDF filters revealed substantial differences in Polysorbate 80 adsorption, highlighting the critical role of membrane surface modification over polymer class in determining a membrane's suitability for sterile filtration in form and fill processes.
- Notably, Sartopore Evo® single- and double layer PES filters, carrying a newly developed membrane surface modification, exhibited significantly low Polysorbate 80 adsorption, comparable or better to PFAS based membrane filters.
- Consequently, a fast recovery of the initial Polysorbate 80 concentration in the filtered formulation is achieved, minimizing potential product loss in commercial filling operations.
- While this poster focuses on Polysorbate 80 adsorption data, additional data is available for other excipients such as Polysorbate 20 and Poloxamer 188 as well as protein binding (e.g. monoclonal antibodies) in actual product formulations, which confirm the general low binding properties of Sartopore Evo®.
- Combining excellent filtration performance with low adsorption properties for proteins and excipients, position Sartopore Evo® as a suitable alternative to PFAS based membrane filters for reliable and efficient final sterile filtration of protein-based formulations.